

COVID-19 Overview for MAG

Dr. Michelle Murti, BASc MD MPH CCFP FRCPC Public Health Physician, Health Protection, Public Health Ontario June 19, 2020

Disclosures

• The presenter has no conflicts of interest to disclose

 Public Health Ontario's Mandate is to provide scientific and technical advice and support to clients working in government, public health, health care and related sectors.

Overview

- To provide a brief overview of COVID-19
- To describe how the virus is transmitted
- To describe public health measures for reducing the risk of exposure to the virus
- Role of local public health units in case and contact management

COVID-19

- Infection caused by the virus SARS-CoV-2
- Novel coronavirus to humans
 - There is no prior immunity to this virus
- Currently, no vaccine several candidates in development
 - There will be an ongoing need for other public health measures to control spread until vaccine is available
- Goal is to reduce morbidity and mortality until vaccine is developed – ongoing cases will occur until then

https://www.canada.ca/en/public-health/services/diseases/2019-novel-coronavirus-infection/health-professionals.html#t

Understanding Grows Every Day

- There is an unprecedented volume of studies and materials that improve our understanding of this virus
- Emerging evidence is reviewed and incorporated in real-time to ensure we are providing the best evidence possible to inform policies and decisions
- Guidance documents are updated frequently
 - The use of a Guidebook allows consistency and adaptation over time
- Communication and collaboration are key to ensuring consistency of advice and to help adapt to changes

Symptoms of COVID-19

Common symptoms

- Fever (temperature of 37.8°C or greater)
- New or worsening cough
- Shortness of breath

Other symptoms include

- Sore throat
- Difficulty swallowing
- Runny nose, or nasal congestion (in the absence of underlying reason)
- Loss of smell or taste
- Nausea/vomiting, diarrhea, abdominal pain
- Unexplained headaches/fatigue/ malaise/ muscle aches

http://www.health.gov.on.ca/en/pro/programs/publichealth/coronavirus/docs/2019_reference_doc_symptoms.pdf

Risk Factors for Severe Illness

- Severity increases with age
 - >1% case fatality in the 60-69 age group, 3.7% 20.2% case fatality in those 80 years and older
- Underlying medical conditions
 - Cardiovascular disease, diabetes, chronic lung disease, weakened immune system
 - Increased association with hospitalization and death
- Increased risk for those in court incorporated in risk assessment and guidance

https://www.publichealthontario.ca/-/media/documents/ncov/covid-wwksf/what-we-know-clinical-severity.pdf?la=en https://www.publichealthontario.ca/-/media/documents/ncov/factsheet/2020/05/factsheet-covid-19immunocompromised.pdf?la=en https://www.canada.ca/en/public-health/services/diseases/2019-novel-coronavirus-infection/guidance-documents/risk-informeddecision-making-workplaces-businesses-covid-19-pandemic.html

COVID-19 spreads mainly from person-to-person



Close contact (within 2 metres/6 feet)

Close contact

- Respiratory droplets produced when an infected person coughs, sneezes, or talks
- Droplets land in the mouths or noses of people who are nearby or possibly inhaled into the lungs

https://www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/how-covid-spreads.html

Other Ways COVID-19 is Spread

- "It may be possible that a person can get COVID-19 by touching a surface or object that has the virus on it and then touching their own mouth, nose, or possibly their eyes. This is not thought to be the main way the virus spreads, but we are still learning more about how this virus spreads."
- Hand hygiene and environmental cleaning is the main way to address the risk of contaminated surfaces

https://www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/how-covid-spreads.html

https://www.publichealthontario.ca/-/media/documents/ncov/wwksf-routes-transmission-mar-06-2020.pdf?la=en

COVID-19 Spread from Infected Persons





Infectious for at least 9 days or longer after symptoms start



Infection can be asymptomatic, and people with no symptoms may spread illness to others

Asymptomatic Cases

- Some individuals never develop symptoms
- In population based assessments, the median proportion of confirmed cases who are asymptomatic is 45% (range 23% to 89%)
- Limited data on degree to which cases who are asymptomatic spread to others
 - Evidence suggests slightly lower than for symptomatic cases
- Importance of measures to prevent spread from those who are unaware they are infected and infectious

Public Health Agency of Canada. Summary of the evidence on asymptomatic infections and transmission of SARS-CoV-2. June 5, 2020. Unpublished.

Settings with Known COVID-19 Transmission

- Long-term care homes
- Retirement homes
- Hospitals
- Shelters
- Cruise ships
- Navy ships
- Churches

- Group homes
- Shopping centers
- Restaurants
- Choirs
- Meat packing plants
- Day cares
- Migrant farm workers

Setting-specific factors that can increase the risk of COVID-19 introduction or spread

- Larger numbers of individuals together
 - Crowding of individuals
 - Opportunity to maintain physical distancing
- Layout of the space
 - Indoor vs outdoor (ventilation, confined spaces)
 - Shared break areas and other common spaces
- Individual factors
 - Infected individuals in the space
 - Activities of individuals while there

Infection Prevention and Control (IPAC) Principles




Hand washing or use of alcohol-based hand rub (hand sanitizer) is one key principle to prevent spread of infection

Infection prevention and control (IPAC) principles

- Passive (signage) and active (questions) screening
 - Keeping sick and exposed people out of a setting
- Hand hygiene—hand washing or use of alcohol-based hand rub
- Respiratory etiquette covering coughs and sneezes
- Respecting hierarchy of controls in place to maintain preventive measures

Screening at Entrances

- Important reminder to that those with symptoms or potential exposures should not be entering
- Temperature
 assessment is not part
 of current Ontario
 guidance for workplaces



https://www.toronto.ca/wp-content/uploads/2020/05/95f0-Survey-Screening-poster-TPH.pdf

Sample signage



https://www.publichealthontario.ca/-/media/documents/J/2009/jcyh-handwash.pdf?la=en² https://www.publichealthontario.ca/-/media/documents/J/2018/jcyh-handrub-card.pdf?la=en³

Cover your coughs and sneezes (respiratory etiquette)



- Use a tissue and dispose of immediately, followed by hand hygiene
- If tissue not available, cough into sleeve or elbow
- Clean hands afterwards



https://www.publichealthontario.ca/-/media/documents/C/2013/clincial-office-cough-signage.pdf⁴

Non-Medical Masks for "Source Control"



Coronavirus Disease 2019 (COVID-19)

Non-medical Masks and Face Coverings

Wearing non-medical masks or face coverings may be an added way to protect others around you, particularly where physical distancing may be challenging (e.g., on public transit, while shopping). Here are some tips on what masks and face coverings do, when you could consider using one, and how to wear it safely.

> If you or a household member has symptoms of, or is suspected to have COVID-19, follow the guidance for self-isolation.

Why use a non-medical mask or face covering

- COVID-19 can be spread from infected individuals who have a few or no symptoms and are unaware that they may be infected.
- A non-medical mask or face covering is intended to protect others from your infectious droplets.



- It may also prevent other people's droplets from landing in your mouth or nose.
- Consider wearing one in areas where community transmission of COVID-19 is occurring and where <u>physical distancing</u> may not be possible, e.g., public transit, smaller grocery stores or pharmacies.

What kind of non-medical mask or face covering should I use

- · No specific design or material is known to be better than others.
- The <u>Public Health Agency of Canada</u> provides guidance on how to make cloth masks.
- Make sure each cloth mask is made of at least two layers and can be laundered multiple times without losing shape or deteriorating.
- Don't offer to children under the age of two, or individuals who are unable to wear it e.g., medical condition, or unable to wear/remove properly.

COVID-19: Non-medical Masks and Face Coverings

1 of 2

How to wear a non-medical mask or face covering

- Clean your hands with soap and water or alcohol-based hand sanitizer for at least 15 seconds.
- Make sure it fits snugly (no gaps between mask and face) to cover the nose and mouth, i.e., from below the eyes to around the chin.



- Secure it with ties or ear loops so that it is comfortable, and doesn't hinder breathing and vision.
- Avoid touching the front of the mask or face covering while wearing it – if you do, clean your hands immediately.
- Wear it as long as it is comfortable, and remove when it becomes soiled, damp, damaged or difficult to breathe through.
- · Do no share your mask with others.

How to remove and care for non-medical masks or face coverings that can be cleaned

- · Remove carefully by grasping the straps only and place directly in the laundry.
- If you have to use it again before washing, ensure that the front of the mask folds in on itself to avoid touching the front. Store it in its own bag, e.g., paper bag.
- Immediately clean your hands with soap and water or alcohol-based hand sanitizer for at least 15 seconds.
- · Machine wash with hot water and with regular detergent, which should kill any viruses.
- The <u>Ministry of Health</u> has more information on the use and care of non-medical masks and face coverings.

Note

- Non-medical masks and face coverings may not provide complete protection against viral particles, especially if they fit loosely.
- As they are not tested to recognized standards, their effectiveness will vary.

The information in this document is current as of May 21, 2020

OQueen's Printer for Ontario, 2020

Ontario 🗑

https://www.publichealthontario.ca/-/media/documents/ncov/factsheet/2020/05/factsheet-covid-19-nonmedical-masks.pdf?la=en

Managing exposures to COVID-19



Ill Individual in the Workplace

- Should return home and self-isolate immediately
- If they cannot leave immediately, the individual should be isolated in a specific space away from others until they are able to leave
- If the individual is very ill, call 911
- All symptomatic individuals in Ontario can be tested
- Anyone who tests positive will be contacted by their local public health unit

Role of Local Public Health Unit

- Perform case management, including assessing when they were infectious, when they can come out of isolation, and where they may have acquired infection
- Perform contact tracing to identify those exposed
 - Advising on additional testing and self-isolation of those with close contacts to the case
 - Providing information on symptoms, testing and selfmonitoring to non-close contacts
- Providing information to the location where exposure occurred regarding infection prevention and control measures

http://www.health.gov.on.ca/en/pro/programs/publichealth/coronavirus/docs/2019 essential workplaces guida nce.pdf

Outbreaks in Workplaces

- Where a public health unit determines that an outbreak exists in a workplace
 - Additional measures may be recommended, ordered
 - Recommend additional testing of those in the workplace
 - Review measures in place to prevent ongoing transmission

http://www.health.gov.on.ca/en/pro/programs/publichealth/coronavirus/docs/2019_workplace_o utbreak_guidance.pdf


Contact your local public health unit

List of public health units

 <u>http://www.health.gov.on.ca/en/c</u> ommon/system/services/phu/loca <u>tions.aspx</u>

By postal code

 <u>https://www.phdapps.health.gov.o</u> <u>n.ca/phulocator/</u>



https://files.ontario.ca/moh-covid-19-report-en-2020-04-29.pdf

Resources



Infection Prevention and Control

How to clean your hands with soap and water or alcohol-based hand rub

 Ontario Agency for Health Protection and Promotion (Public Health Ontario). How to wash your hands [Internet]. Toronto, ON: Queen's Printer for Ontario; 2020 [cited 2020 May 05]. <u>https://www.publichealthontario.ca/-</u> /media/documents/ncov/factsheet/factsheet-covid-19-hand-hygiene.pdf?la=en

How to keep your distance

 Ontario Agency for Health Protection and Promotion (Public Health Ontario). Physical distancing [Internet]. Toronto, ON: Queen's Printer for Ontario; 2020 [cited 2020 May 05]. <u>https://www.publichealthontario.ca/-</u> /media/documents/ncov/factsheet/factsheet-covid-19-guide-physicaldistancing.pdf?la=en

Infection Prevention and Control

Infection Prevention and Control Fundamentals

- Links to key resources
- Ontario Agency for Health Protection and Promotion (Public Health Ontario). At a glance: infection prevention and control fundamentals [Internet]. Toronto, ON: Queen's Printer for Ontario; 2020 [cited 2020 May 05].
 https://www.publichealthontario.ca/-/media/documents/ncov/ipac/ipac-fundamentals.pdf?la=en

Masking for Source Control

When and how to wear a mask

- Ontario Agency for Health Protection and Promotion (Public Health Ontario). When and how to wear a mask: recommendations for the general public [Internet]. Toronto, ON: Queen's Printer for Ontario; 2020 [cited 2020 May 05]. Available from: <u>https://www.publichealthontario.ca/-</u> /media/documents/ncov/factsheet/factsheet-covid-19-how-to-wearmask.pdf?la=en
- Ontario Agency for Health Protection and Promotion (Public Health Ontario). Nonmedical masks and face coverings [Internet]. Toronto, ON: Queen's Printer for Ontario; 2020 [cited 2020 June 16]. Available from: https://www.publichealthontario.ca/-

/media/documents/ncov/factsheet/2020/05/factsheet-covid-19-non-medicalmasks.pdf?la=en

 Ontario Agency for Health Protection and Promotion (Public Health Ontario). Mask use for non-healthcare workers [Internet]. Toronto, ON: Queen's Printer for Ontario; 2020 [cited 2020 June 16]. Available from:

https://www.publichealthontario.ca/-

/media/documents/ncov/factsheet/2020/05/factsheet-covid-19-masks-nothealthcare_ndf?la=en

Cleaning and disinfection

Cleaning and disinfection for public settings

 Ontario Agency for Health Protection and Promotion (Public Health Ontario). Coronavirus disease 2019: cleaning and disinfection for public settings [Internet]. Toronto, ON: Queen's Printer for Ontario; 2020 [cited 2020 May 05]. Available from: <u>https://www.publichealthontario.ca/-</u> /media/documents/ncov/factsheet-covid-19-environmental-cleaning.pdf?la=en

General resources

Public Health Ontario website

 Ontario Agency for Health Protection and Promotion (Public Health Ontario). Coronavirus Disease 2019 (COVID-19) [Internet]. Toronto, ON: Queen's Printer for Ontario; c2020 [cited 2020 May 05]. Available from: <u>https://www.publichealthontario.ca/en/diseases-and-conditions/infectiousdiseases/respiratory-diseases/novel-coronavirus</u>

General Resources

Ministry of Health guidance

 Ontario Ministry of Health. COVID-19 guidance for the health sector [Internet]. Toronto, ON: Queen's Printer for Ontario; c2020 [cited 2020 June 16]. Available from:

http://www.health.gov.on.ca/en/pro/programs/publichealth/coronavirus/2019 g uidance.aspx

- <u>COVID-19 Guidance: Workplace Outbreaks</u>
- Guidance for Essential Workplaces
- Ontario Ministry of Health. Resources to prevent COVID-19 in the workplace [Internet]. Toronto, ON: Queen's Printer for Ontario; c2020 [last updated 2020 June 16; cited 2020 June 16]. Available from: <u>https://www.ontario.ca/page/resourcesprevent-covid-19-workplace</u>